Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6,594,376".pn.	USPAT	OR	ON	2006/09/25 09:58
L2	1	1 and random	USPAT	OR	ON	2006/09/25 10:00
L6	1	1 and (id identifier)	USPAT	OR	ON	2006/09/25 10:01
L7	1	1 and (database)	USPAT	OR	ON	2006/09/25 10:21
L8	1	1 and biometric near record	USPAT	OR	ON	2006/09/25 10:21
L9	1	1 and biometric with pin	USPAT	OR	ON	2006/09/25 10:21
S1	2	bjorn-vance.in.	USPAT	OR	OFF	2003/11/10 11:22
S2	257	713/155.ccls.	USPAT	OR	OFF	2003/11/05 13:37
S 3	68	713/155.cor.	USPAT	OR	OFF	2003/11/05 13:38
S4	283	one near time near key	USPAT	OR	OFF	2003/11/05 13:38
S 5	403	one near time near key	USPAT	OR	ON	2003/11/05 13:38
S6	19	(one near time near key) WITH (public near key)	USPAT	OR	ON	2003/11/05 13:39
S 7	0	((one near time near key) WITH (public near key)) and biometric	USPAT	OR	ON	2003/11/05 13:39
S8	23	(one near time near key) same (public near key)	USPAT	OR	ON	2004/06/10 17:11
S9	10	(one-time near key) same (public near key)	USPAT	OR	ON	2003/11/05 13:41
S10	79	one-time near key	USPAT	OR	ON	2003/11/05 13:46
S11	46	(one-time near key) and (public near key)	USPAT	OR	ON	2003/11/05 13:43
S12	2	((one-time near key) and (public near key)) and biometric	USPAT	OR	ON	2003/11/05 13:44
S13	46	(one-time near key) and (public near key)	USPAT	OR	ON	2003/11/05 15:26
S14	0	(one-time near key) and (public near key)	EPO	OR	ON	2003/11/05 13:47
S15	0	(one-time near key) and (public near key)	DERWENT	OR	ON	2003/11/05 13:47
S16	0	(one-time near key) and (public near key)	IBM_TDB	OR	ON	2003/11/05 13:47
S17	11490	once WITH key	USPAT	OR	ON	2003/11/05 14:04
S18	420	(once WITH key) same (public near key)	USPAT	OR	ON	2003/11/05 14:04
S 19	1933	once near key	USPAT	OR	ON	2003/11/05 14:04
S20	38	(once near key) same (public near key)	USPAT	OR	ON	2003/11/05 14:12
S21	71	shockley.in.	USPAT	OR	ON	2003/11/05 14:53

C22	1	shockley in and hismatric	LICDAT	OD	ON	2002/11/05 14:54
S22	1	shockley.in. and biometric	USPAT	OR	ON	2003/11/05 14:54
S23	0	(shockley.in. and biometric) and (one near time)	USPAT	OR	ON	2003/11/05 14:54
S24	0	wwefewfewfewfewfewf	USPAT	OR	ON	2003/11/05 14:54
S25	5	(encrypt WITH (one-time near key)) and (public near key)	USPAT	OR	ON	2003/11/05 15:27
S26	17	(encrypt\$ WITH (one-time near key)) and (public near key)	USPAT	OR	ON	2003/11/05 15:32
S27	0	(disposable near key) same (public near key)	USPAT	OR	ON	2003/11/05 15:32
S28	0	(disposable near key) and (public near key)	USPAT	OR	ON	2003/11/05 15:32
S29	34	disposable near key	USPAT	OR	ON	2003/11/05 15:32
S30	25	(discard\$ or delet\$) WITH biometric	USPAT	OR	ON	2003/11/10 11:28
S31	1	"6581161".pn.	USPAT	OR	ON	2003/11/10 12:34
S32	1	"6581161".pn. and advantag\$	USPAT	OR	ON	2003/11/10 12:52
S33	18439	additional near data	USPAT	OR	ON	2003/11/10 11:39
S34	0	(additional near data) same (authentication near policy)	USPAT	OR	ON	2003/11/10 11:35
S35	31	authentication near policy	USPAT	OR	ON	2003/11/10 11:35
S36	372	(additional near data) same (policy or right)	USPAT	OR	ON	2003/11/10 11:39
S37	4	((additional near data) same (policy or right)) same server	USPAT	OR	ON	2003/11/10 11:38
S38	211	request near additional near data	USPAT	OR	ON	2003/11/10 11:39
S39	4	(request near additional near data) same (policy or right)	USPAT	OR	ON	2003/11/10 11:40
S40	118	(request near additional near data) and (policy or right)	USPAT	OR	ON	2003/11/10 11:41
S41	74	((request near additional near data) and (policy or right)) and server	USPAT	OR	ON	2003/11/10 11:41
S42	1	"5692106".pn.	USPAT	OR	ON	2003/11/10 12:34
S43	1	"5692106".pn. and advantag\$	USPAT	OR	ON	2003/11/10 12:44
S44	20	client WITH nonce	USPAT	OR	ON	2003/11/10 12:52
S45	1	"6119227".pn.	USPAT	OR	ON	2003/11/10 13:34
S46	1	"6119227".pn. and advantag\$	USPAT	OR	ON	2003/11/10 12:52
S47	1	"5838792".pn.	USPAT	OR	ON	2003/11/10 13:40
S48	0	"5838792".pn. and (password or id)	USPAT	OR	ON	2003/11/10 13:35
S49	0	"5838792".pn. and password	USPAT	OR	ON	2003/11/10 13:35
S50	0	"5838792".pn. and id	USPAT	OR	ON	2003/11/10 13:36

	T					
S51	1	"5838792".pn. and ident\$	USPAT	OR	ON	2003/11/10 13:37
S52	1	"5748735".pn.	USPAT	OR	ON	2003/11/10 13:54
S53	1	"5748735".pn. and password	USPAT	OR	ON	2003/11/10 13:48
S54	1	"5748735".pn. and (decrypt\$ WITH session With key)	USPAT	OR	ON	2003/11/10 13:48
S55	1	"6233685".pn.	USPAT	OR	ON	2003/11/10 14:01
S56	1	"6233685".pn. and random near key	USPAT	OR	ON	2003/11/10 13:55
S57	0	"6233685".pn. and random near id	USPAT	OR	ON	2003/11/10 13:55
S58	0	"6233685".pn. and random near identification	USPAT	OR	ON	2003/11/10 13:55
S59	1	"6233685".pn. and random	USPAT	OR	ON	2003/11/10 13:55
S60	1	"6581161".pn.	USPAT	OR	ON	2003/11/10 13:59
S61	0	"6581161".pn. and discard	USPAT	OR	ON	2003/11/10 13:59
S62	0	"6581161".pn. and delete	USPAT	OR	ON	2003/11/10 13:59
S63	0	"6581161".pn. and discarding	USPAT	OR	ON	2003/11/10 13:59
S64	1	"6581161".pn. and deleting	USPAT	OR	ON	2003/11/10 13:59
S65	1	"5692106".pn.	USPAT	OR	ON	2003/11/10 14:05
S66	1	"5692106".pn. and policy	USPAT	OR	ON	2003/11/10 14:03
S67	1	"5692106".pn. and additional	USPAT	OR	ON	2003/11/10 14:03
S 68	1	"6119227".pn.	USPAT	OR	ON	2003/11/10 14:05
S69	1	"6119227".pn. and nonce	USPAT	OR	ON	2003/11/10 14:05
S70	1	"6151676".pn.	USPAT	OR	ON	2004/06/10 17:11
S71	1	"6151676".pn. and password	USPAT	OR	ON	2004/06/10 17:35
S72	1	"6151676".pn. and symmetric	USPAT	OR	ON	2004/06/10 17:34
573	146	kerberos and (one near time)	USPAT	OR	ON	2004/06/10 17:34
S74	107	(kerberos and (one near time)) and ID and password	USPAT	OR	ON .	2004/06/10 17:34
S75	0	"6151676".pn. and discard\$	USPAT	OR	ON	2004/06/10 17:35
S76	0	("6151676".pn. and discard\$) and biometric	USPAT	OR	ON	2004/06/10 17:36
S77	35	((kerberos and (one near time)) and ID and password) and biometric	USPAT	OR	ON	2004/06/10 17:36
S78	450	one near time near key	USPAT	OR	ON	2005/04/14 10:45
S79	5	S78 WITH encrypt\$ WITH (public near1 key)	USPAT	OR	ON	2005/04/14 10:47
S80	3	S79 and password	USPAT	OR	ON	2005/04/14 10:47
S81	272	(session near1 key) WITH encrypt\$ WITH (public near1 key)	USPAT	OR	ON	2005/04/14 10:47

				-,		
S82	3	(session near1 key) WITH encrypt\$ WITH (user near1 public near1 key)	USPAT	OR	ON	2005/04/14 10:47
S 83	3	S82 and password	USPAT	OR	ON	2005/04/14 10:48
S84	152	biometric and (session near1 key)	USPAT	OR	ON	2005/04/14 10:52
S85	17	biometric same (session near1 key)	USPAT	OR	ON	2005/04/14 10:48
S86	17	S85 same encrypt\$	USPAT	OR	ON	2005/04/14 10:49
S87	130	biometric and ((session near1 key) WITH encrypt\$)	USPAT	OR	ON	2005/04/14 10:53
588	88	biometric and ((session near1 key) WITH encrypt\$ WITH (public near1 key))	USPAT	OR	ON	2005/04/14 10:57
S89	87	S88 and decrypt\$	USPAT	OR	ON	2005/04/14 11:28
S90	1	"6853988".pn.	USPAT	OR	ON	2005/04/14 11:28
S91	0	S90 and (biometric same session)	USPAT	OR	ON	2005/04/14 11:28
S92	1	S90 and (biometric and session)	USPAT	OR	ON	2005/04/14 11:28
S93	1	S90 and session with encrypt\$	USPAT	OR	ON	2005/04/14 11:31
S94	1	S90 and web	USPAT	OR	ON	2005/04/14 11:34
\$95	0	S90 and web same biometric	USPAT	OR	ON	2005/04/14 11:32
S96	0	S90 and web same password	USPAT	OR	ON	2005/04/14 11:32
S97	1	S90 and password	USPAT	OR	ON	2005/04/14 11:35
S98	1	S90 and private near1 key	USPAT	OR	ON	2005/04/14 11:36
S99	1	S90 and encrypt\$ with biometric	USPAT	OR	ON	2005/04/14 11:37
S10 0	1	S90 and symmetric	USPAT	OR	ON	2005/04/14 11:37
S10 1	1122	random WITH authenticat\$	USPAT	OR	ON	2005/11/07 16:57
S10 2	28	link\$ WITH random WITH authenticat\$	USPAT	OR	ON	2005/11/07 17:08
S10 3	23	S102 and encrypt\$	USPAT	OR	ON	2005/11/07 17:06
S10 4	23	S102 and (encrypt\$ WITH key)	USPAT	OR	ON	2005/11/07 17:06
S10 5	39	(random near (ID or identification or identifier)) WITH authenticat\$	USPAT	OR	ON	2005/11/08 09:53
S10 6	1	"5856659".pn.	USPAT	OR	ON	2005/11/08 09:48
S10 7	1	"6,233,685".pn.	USPAT	OR	ON	2005/11/08 09:53
S10 8	4	(random near (ID or identification or identifier)) WITH (password or PIN)	USPAT	OR	ON	2005/11/08 09:54

1	"6,853,988".pn.	USPAT	OR	ON	2005/11/08 11:35
343	random WITH (ID or identification or identifier) WITH (authenticat\$ or password or PIN)	USPAT	OR	ON	2005/11/08 09:55
35	random near3 (ID or identification or identifier) near3 (authenticat\$ or password or PIN)	USPAT	OR	ON	2005/11/08 09:55
1	S109 and private	USPAT	OR	ON	2005/11/08 11:34
1	"6006334".pn.	USPAT	OR	ON	2005/11/08 11:35
1	S113 and random	USPAT	OR	ON	2005/11/08 11:35
14506	random adj number	USPAT	OR	ON	2006/04/04 16:55
1123	S115 WITH user	USPAT	OR	ON	2006/04/04 16:58
74	S115 WITH associat\$ WITH user	USPAT	OR	ON	2006/04/04 16:56
487	public WITH key WITH encrypt\$ WITH session WITH key	USPAT	OR	ON	2006/04/04 16:56
3	S117 and S118	USPAT	OR	ON	2006/04/04 16:59
216	S115 and S118	USPAT	OR	ON	2006/04/04 16:57
83	S115 WITH user WITH ID	USPAT	OR	ON	2006/04/04 16:58
1	S121 and S118	USPAT	OR	ON	2006/04/04 17:08
17	link\$ WITH (random adj number) WITH authenticat\$	USPAT	OR	ON	2006/04/04 17:09
0	S118 and S123	USPAT	OR	ON	2006/04/04 17:09
262	(random adj number) WITH password	USPAT	OR	ON	2006/04/05 09:42
487	public WITH key WITH encrypt\$ WITH session WITH key	USPAT	OR	ON	2006/04/05 09:34
7	S125 and S126	USPAT	OR	ON	2006/04/05 09:43
116	(random adj number) WITH (biometric or fingerprint or retina or voice)	USPAT	OR	ON	2006/04/05 09:42
2	S128 and S126	USPAT	OR	ON	2006/04/05 10:17
	343 35 1 1 14506 1123 74 487 3 216 83 1 17 0 262 487 7 116	random WITH (ID or identification or identifier) WITH (authenticat\$ or password or PIN) random near3 (ID or identification or identifier) near3 (authenticat\$ or password or PIN) 1 S109 and private 1 "6006334".pn. 1 S113 and random random adj number 1123 S115 WITH user 74 S115 WITH deser 74 S115 WITH key WITH encrypt\$ WITH session WITH key 3 S117 and S118 216 S115 and S118 83 S115 WITH user WITH ID 1 S121 and S118 17 link\$ WITH (random adj number) WITH authenticat\$ 0 S118 and S123 262 (random adj number) WITH password 487 public WITH key WITH encrypt\$ WITH session WITH key 7 S125 and S126 116 (random adj number) WITH (biometric or fingerprint or retina or voice)	random WITH (ID or identification or identifier) WITH (authenticats or password or PIN) 35 random near3 (ID or identification or identifier) near3 (authenticats or password or PIN) 1 S109 and private USPAT 1 "6006334".pn. USPAT 1 S113 and random USPAT 1 S113 and random USPAT 14506 random adj number USPAT 14507 WITH user USPAT 487 public WITH key WITH encrypts WITH session WITH key 3 S117 and S118 USPAT 216 S115 WITH user WITH ID USPAT 1 S121 and S118 USPAT 1 S121 and S118 USPAT 1 S121 and S118 USPAT 2 Ilinks WITH (random adj number) WITH password 487 public WITH key WITH encrypts USPAT USPAT	random WITH (ID or identification or identifier) WITH (authenticats or password or PIN) 35 random near3 (ID or identification or identifier) near3 (authenticats or password or PIN) 1 S109 and private 1 "6006334".pn. 1 S113 and random 1 S113 and random 1 USPAT 1 OR 1 S115 WITH user 1 USPAT 1 OR 1 S115 WITH user 1 USPAT 1 OR 1 S115 WITH were 1 USPAT 1 OR 1 S115 WITH were 1 USPAT 1 OR 1 S115 WITH were 1 USPAT 1 OR 2 S115 WITH were 3 S117 and S118 487 public WITH key WITH encrypt\$ WITH session WITH Wey 3 S117 and S118 488 USPAT 489 OR 481 USPAT 482 OR 483 S115 WITH user WITH ID 484 USPAT 485 OR 486 USPAT 487 OR 487 Ilink\$ WITH (random adj number) WITH authenticat\$ 488 USPAT 489 OR 481 USPAT 482 OR 483 USPAT 484 OR 485 OR 486 USPAT 487 OR 487 Public WITH key WITH encrypt\$ WITH authenticat\$ 488 USPAT 489 OR 489 USPAT 480 OR 481 USPAT 487 OR 487 Public WITH key WITH encrypt\$ WITH yassword 488 USPAT 489 OR 480 USPAT 481 OR 482 OR 483 USPAT 484 OR 485 OR 486 OR 487 Public WITH key WITH encrypt\$ WITH yassword 488 USPAT 489 OR 480 USPAT 481 OR 482 OR 483 USPAT 484 OR 485 OR 486 OR 487 Public WITH key WITH encrypt\$ WITH yassword 488 USPAT 489 OR 480 OR 481 OR 482 USPAT 483 OR 484 OR 485 OR 486 OR 487 Public WITH key WITH encrypt\$ WITH yassword 488 OR 489 Public WITH key WITH encrypt\$ WITH Session WITH key 7 S125 and S126 USPAT OR 487 OR 488 OR 489 OR 4	random WiTh (ID or identification or identifier) WITH (authenticats or password or PIN) 35 random near3 (ID or identification or identifier) near3 (authenticats or password or PIN) 1 S109 and private USPAT OR ON 1 "6006334".pn. USPAT OR ON 1 \$113 and random USPAT OR ON 14506 random adj number USPAT OR ON 14507 ON ON 15115 WITH user USPAT OR ON 1615 WITH key WITH encrypts USPAT OR ON 17 public WITH key WITH encrypts USPAT OR ON 183 S117 and S118 USPAT OR ON 183 S115 WITH user WITH ID USPAT OR ON 184 S115 WITH user WITH ID USPAT OR ON 185 S115 WITH (random adj number) USPAT OR ON 186 S118 and S123 USPAT OR ON 260 (random adj number) WITH password 487 public WITH key WITH encrypts USPAT OR ON 260 (random adj number) WITH password 487 public WITH key WITH encrypts USPAT OR ON 268 (random adj number) WITH USPAT OR ON 269 (random adj number) WITH USPAT OR ON 260 (random adj number) WITH USPAT OR ON 270 (VITH user WITH key WITH encrypts WITH session WITH key 280 (VITH Session WITH WITH OR ON) 281 (VITH Session WITH WITH OR ON) 282 (VITH Session WITH WITH OR ON) 283 (VITH Session WITH WITH OR ON) 284 (VITH Session WITH WITH OR ON) 285 (VITH Session WITH WITH OR ON) 286 (VITH Session WITH OR ON)